

KEYVELLE | LIGHTING

HOSPITALITY · DECORATIVE & ARCHITECTURAL LIGHTING

Hotel Lighting
Collection 2026

Six style series, curated for the five-star hotel: from the guestroom bedside to the lobby chandelier, the ballroom and the resort garden.

NOVA · MAISON · ORLA · LAN · ÉTOILE · TERRA

CRI ≥ 90 · 2700 K hospitality warmth · DALI-2 / 0-10 V / TRIAC dimming · Bespoke to drawing

CONTENTS

Every key, *in its best light*

A curated hotel lighting collection in six style series, organised by function so designers and owners can specify a whole property in one language.

How to read this catalogue. Series pages show each style and its signature pieces. The matrix on page 04 shows which piece serves which hotel zone.

01	Our approach	03
02	Collection matrix: style × function	04
03	Lighting the five-star room	05
I	NOVA · Modern Minimal	06
II	MAISON · Neo-Classic	08
III	ORLA · Art Deco	10
IV	LAN · Indochine	12
V	ÉTOILE · Crystal Luxury	14
VI	TERRA · Natural Resort	16
04	Architectural essentials · Guestroom	18
05	Architectural essentials · Bathroom & outdoor	19
06	Controls & integration	20
07	Finishes & materials	21
08	Technical standards	22
09	Project services	23
10	Product index	24

01 · OUR APPROACH

Curated, *not catalogued*

A five-star hotel does not need ten thousand light fittings. It needs the right ones, in one consistent language, from the bedside to the ballroom.

We studied the signature pieces that the world's leading hospitality lighting houses supply to luxury hotels: the reading light, the classic sconce, the crystal centrepiece, the resort lantern. Then we kept only the types that matter most and redrew them in KEYVELLE's own design language.

6	6	26
Style series, one per design direction	Hotel functions, from guestroom to garden	Signature products, each made to project

READ BY STYLE	Choose the series that matches the interior concept: pages by series, 06 – 17
READ BY FUNCTION	Find what each zone needs in the collection matrix, page 04, and the architectural essentials, pages 18 – 19
EVERYTHING BESPOKE	Size, finish, shade, light output and control adapted to your drawings



02 · COLLECTION MATRIX

Six styles × *six functions*

Each series covers the pieces that carry its style. The architectural essentials (downlights, cove, night and mirror lighting) are style-neutral and complete every room.

FUNCTION	I · NOVA Modern Minimal	II · MAISON Neo-Classic	III · ORLA Art Deco	IV · LAN Indochine	V · ÉTOILE Crystal Luxury	VI · TERRA Natural Resort
Guestroom	**KL-NV110** Bedside Reading Arm	**KL-MS120** Twin-Arm Wall Sconce **KL-MS130** Marble Column Table Lamp	**KL-OR140** Stepped Floor Lamp	**KL-LN150** Lacquer Table Lamp	**KL-ET160** Crystal Cascade Sconce	–
Bathroom	–	–	**KL-OR210** Fluted Vanity Sconce	–	–	–
Lobby & public	–	–	–	**KL-LN310** Silk Drum Lantern	**KL-ET320** Glass Droplet Installation	–
F&B & ballroom	**KL-NV410** Linear Pendant	–	**KL-OR420** Tiered Fan Chandelier	–	**KL-ET430** Ballroom Crystal Chandelier	**KL-TR440** Rattan Dome Pendant
Corridor & lift lobby	**KL-NV510** Opal Globe Sconce	**KL-MS520** Bevelled Lantern Pendant	–	**KL-LN530** Bamboo Screen Wall Light	–	–
Outdoor	–	–	–	–	–	**KL-TR610** Teak Floor Lantern **KL-TR620** Hooded Path Bollard

Architectural essentials, all series: guestroom KL-AR710 – AR740 (downlights, cove, night light, wardrobe light) · bathroom KL-AR750 – AR770 (backlit mirror, shower downlight, niche light) · outdoor KL-AR780 (pool & underwater light). Any series piece can be developed for another zone on request.

03 · LIGHTING THE FIVE-STAR ROOM

Four layers, *one gesture*



01

Ambient

Cove and downlights give a soft, even base; never the only layer.

02

Task

Bedside reading, desk and vanity light, where glare control and CRI matter most.

03

Accent

Sconces, lamps and art lights create the character of the room.

04

Night

Low-level amber light guides the guest at night without waking anyone.

ZONE	TYPICAL TARGET
GUESTROOM GENERAL	100–150 lx · 2700 K
BEDSIDE READING	300–500 lx on the page · narrow beam
DESK	300–500 lx · glare-free
VANITY MIRROR	300–500 lx on the face · 3000 K · CRI ≥ 90
NIGHT PATH	< 5 lx · amber, low-level
CORRIDOR	100–150 lx · even, no dark spots
LOBBY	150–300 lx · scenes by daypart
RESTAURANT & BAR	50–200 lx · dimmable to candlelight
BALLROOM	300–500 lx · full dimming, event scenes

Typical hospitality design targets. Final levels follow the hotel brand standard and the project lighting design.

One touch, the whole room. All KEYVELLE luminaires are designed for room scenes (Welcome, Relax, Read, Night) controlled from the bedside and entrance panels. See Controls, page 20.



SERIES I · MODERN MINIMAL

NOVA

Quiet lines, *precise light*

Slim profiles, matte ink and brushed bronze, opal glass. NOVA puts light exactly where the guest needs it and keeps the architecture calm: for city hotels, business suites and contemporary brand standards.

MATERIALS	Matte ink · brushed bronze · hand-blown opal glass · extruded aluminium
SIGNATURE PIECES	**KL-NV110** Bedside Reading Arm **KL-NV410** Linear Pendant **KL-NV510** Opal Globe Sconce

GUESTROOM · F&B & BALLROOM · CORRIDOR & LIFT LOBBY

SERIES I · NOVA · MODERN MINIMAL

Signature pieces

Finishes: Matte ink · brushed bronze · hand-blown opal glass · extruded aluminium



KL-NV110 GUESTROOM

Bedside Reading Arm

Wall-mounted reader with a slim swing arm and a narrow-beam head that lights the page, not the partner.

SIZE	Arm 450–600 mm · head Ø60 mm
LIGHT	Integrated LED 3 W · 24° beam
COLOUR	2700 K / 3000 K · CRI ≥ 90
CONTROL	Touch dimmer on head, or room panel
OPTIONS	USB-C module in back plate



KL-NV410 F&B & BALLROOM

Linear Pendant

An ultra-slim bronze line for long tables, bars and all-day dining, with glare-free downlight.

SIZE	L 1200 / 1800 / 2400 mm · 20 × 40 mm
LIGHT	Integrated LED 15–30 W · UGR < 19
COLOUR	2700 K / 3000 K · CRI ≥ 90
DIMMING	DALI-2 / 0-10 V / phase-cut
SUSPENSION	Fine steel cables, height to site



KL-NV510 CORRIDOR & LIFT LOBBY

Opal Globe Sconce

A hand-blown opal globe on a bronze disc: soft, even corridor light; IP44 version for bathrooms.

SIZE	Globe Ø200 / 250 mm · disc Ø220 mm
LIGHT	E27 / E14 LED or integrated LED 8 W
COLOUR	2700 K / 3000 K · CRI ≥ 90
DIMMING	TRIAC / DALI-2
RATING	IP20 · IP44 for wet zones



SERIES II · NEO-CLASSIC

MAISON

Heritage craft, *modern comfort*

Antique brass, Carrara marble and pleated silk, drawn from the grand European hotel. MAISON gives classic interiors the warmth of candlelight with today's LED performance and dimming.

MATERIALS	Antique brass · Carrara marble · pleated silk · bevelled glass
SIGNATURE PIECES	**KL-MS120** Twin-Arm Wall Sconce **KL-MS130** Marble Column Table Lamp **KL-MS520** Bevelled Lantern Pendant

GUESTROOM | CORRIDOR & LIFT LOBBY

SERIES II · MAISON · NEO-CLASSIC

Signature pieces

Finishes: Antique brass · Carrara marble · pleated silk · bevelled glass



KL-MS120 GUESTROOM

Twin-Arm Wall Sconce

Curved brass arms and pleated silk shades for headboards, desks and suite lounges.

SIZE	W 380 × H 340 × D 230 mm
LIGHT	2 × E14 LED 4 W
COLOUR	2700 K · CRI ≥ 90
DIMMING	TRIAC / phase-cut
SHADES	Pleated silk or linen, ivory or ink



KL-MS130 GUESTROOM

Marble Column Table Lamp

Turned marble column on a brass foot; the base can carry power and USB-C outlets for the bedside or desk.

SIZE	Ø380 × H 620 mm
LIGHT	E27 LED 8 W
COLOUR	2700 K · CRI ≥ 90
SWITCH	Inline dimmer or base touch
OPTIONS	Socket / USB-C in base; weighted, anti-theft fixing



KL-MS520 CORRIDOR & LIFT LOBBY

Bevelled Lantern Pendant

A hexagonal brass lantern with bevelled glass for lift lobbies, entrances and staircases.

SIZE	Ø450 × H 900 mm · larger to drawing
LIGHT	3 × E14 LED candle 4 W
COLOUR	2700 K · CRI ≥ 90
DIMMING	TRIAC / DALI-2
SUSPENSION	Brass chain and canopy, length to site



SERIES III · ART DECO

ORLA

Fluted glass, *golden hour*

Reeded glass, stepped forms and polished brass from the age of the grand liner and the jazz bar. ORLA brings glamour to bars, signature restaurants, suites and bathrooms.

MATERIALS	Polished brass · fluted reeded glass · Nero Marquina marble · lacquer
SIGNATURE PIECES	**KL-OR210** Fluted Vanity Sconce **KL-OR420** Tiered Fan Chandelier **KL-OR140** Stepped Floor Lamp

GUESTROOM | BATHROOM | F&B & BALLROOM

SERIES III · ORLA · ART DECO

Signature pieces

Finishes: Polished brass · fluted reeded glass · Nero Marquina marble · lacquer



KL-OR210 BATHROOM

Fluted Vanity Sconce

A reeded glass cylinder on a stepped brass plate, for flattering vanity light beside the mirror.

SIZE	W 140 × H 360 × D 110 mm
LIGHT	Integrated LED 10 W
COLOUR	3000 K · CRI ≥ 90
DIMMING	TRIAC / DALI-2
RATING	IP44, zone 2 bathrooms



KL-OR420 F&B & BALLROOM

Tiered Fan Chandelier

Three tiers of fan-shaped fluted glass in a brass frame: a centrepiece for bars and restaurants.

SIZE	Ø900 / 1200 / 1500 mm · to drawing
LIGHT	Integrated LED 60–120 W
COLOUR	2700 K · CRI ≥ 90
DIMMING	DALI-2 / DMX on request
INSTALL	Engineered ceiling fixing, serviceable panels



KL-OR140 GUESTROOM

Stepped Floor Lamp

A stepped marble plinth and slim brass column under a tiered glass shade, for suites and lounges.

SIZE	Base 300 × 300 · H 1650 mm
LIGHT	E27 LED 10 W
COLOUR	2700 K · CRI ≥ 90
SWITCH	Foot dimmer or room panel socket
BASE	Marble, weighted and felted



SERIES IV · INDOCHINE

LAN

Silk, lacquer, *tropical evenings*

Named after the orchid, LAN takes Vietnamese lacquer, silk lanterns and bamboo screens into the five-star room. Made for resorts and heritage hotels across Southeast Asia, and for any hotel with an Asian story to tell.

MATERIALS	Hand lacquer · raw silk · natural bamboo · dark teak · bronze
SIGNATURE PIECES	**KL-LN310** Silk Drum Lantern **KL-LN150** Lacquer Table Lamp **KL-LN530** Bamboo Screen Wall Light

GUESTROOM · LOBBY & PUBLIC · CORRIDOR & LIFT LOBBY

SERIES IV · LAN · INDOCHINE

Signature pieces

Finishes: Hand lacquer · raw silk · natural bamboo · dark teak · bronze



KL-LN310 — LOBBY & PUBLIC

Silk Drum Lantern

Ivory silk over a lacquered ribbed frame; used alone or in clusters for lobbies, lounges and restaurants.

SIZE	Ø600 / 800 / 1000 mm · H to ratio
LIGHT	Integrated LED or E27 cluster
COLOUR	2700 K · CRI ≥ 90
DIMMING	DALI-2 / TRIAC
FRAME	Lacquered wood or bronze-finish metal



KL-LN150 — GUESTROOM

Lacquer Table Lamp

An ovoid base finished by hand in layered lacquer with a gold-leaf line, under a raw silk shade.

SIZE	Ø400 × H 600 mm
LIGHT	E27 LED 8 W
COLOUR	2700 K · CRI ≥ 90
COLOURS	Ink, cinnabar, ivory; custom lacquer
OPTIONS	Socket / USB-C module



KL-LN530 — CORRIDOR & LIFT LOBBY

Bamboo Screen Wall Light

Fine bamboo slats over a paper diffuser cast a soft striped light along corridors and spa walls.

SIZE	W 600 × H 250 × D 80 mm · custom
LIGHT	Integrated LED 12 W
COLOUR	2700 K · CRI ≥ 90
DIMMING	DALI-2 / 0-10 V
FRAME	Dark bronze or teak



SERIES V · CRYSTAL LUXURY

ÉTOILE

Light that *makes an entrance*

Hand-blown glass and faceted crystal, designed and engineered for each space. ÉTOILE creates the signature moments of a five-star hotel: the lobby, the grand staircase, the ballroom.

MATERIALS	Hand-blown glass · faceted crystal · champagne bronze · polished nickel
SIGNATURE PIECES	**KL-ET320** Glass Droplet Installation **KL-ET430** Ballroom Crystal Chandelier **KL-ET160** Crystal Cascade Sconce

GUESTROOM · LOBBY & PUBLIC · F&B & BALLROOM

SERIES V · ÉTOILE · CRYSTAL LUXURY

Signature pieces

Finishes: Hand-blown glass · faceted crystal · champagne bronze · polished nickel



KL-ET320 LOBBY & PUBLIC

Glass Droplet Installation

Hundreds of hand-blown droplets at composed heights for atriums, stairwells and double-height lobbies.

SIZE	Designed to the space · 2–20 m drop
LIGHT	Integrated LED per element
COLOUR	2700 K / 3000 K · CRI ≥ 90
CONTROL	DALI-2 / DMX scenes on request
SERVICE	Structural design, mock-up and installation supervision



KL-ET430 F&B & BALLROOM

Ballroom Crystal Chandelier

Tiered rings of faceted crystal on a champagne bronze frame, specified in sets for ballrooms and banquet halls.

SIZE	Ø1200–3000 mm · tiers to drawing
LIGHT	Integrated LED 80–300 W
COLOUR	2700 K / tunable white
CONTROL	DALI-2 / DMX; motorised winch option
FINISH	Champagne bronze, brass, nickel



KL-ET160 GUESTROOM

Crystal Cascade Sconce

A vertical fall of crystal prisms for suites, presidential suites and VIP corridors.

SIZE	W 160 × H 600 × D 120 mm
LIGHT	Integrated LED 8 W
COLOUR	2700 K · CRI ≥ 90
DIMMING	TRIAC / DALI-2
FINISH	Polished nickel, champagne bronze



SERIES VI · NATURAL RESORT

TERRA

Woven by hand, *built for the coast*

Rattan, teak and dark bronze for beach resorts, villas and garden restaurants. TERRA brings natural texture to the table and weather-rated light to terraces, pools and paths.

MATERIALS	Natural rattan · solid teak · dark bronze · marine-grade aluminium
SIGNATURE PIECES	**KL-TR440** Rattan Dome Pendant **KL-TR610** Teak Floor Lantern **KL-TR620** Hooded Path Bollard

F&B & BALLROOM | OUTDOOR

SERIES VI · TERRA · NATURAL RESORT

Signature pieces

Finishes: Natural rattan · solid teak · dark bronze · marine-grade aluminium



KL-TR440 F&B & BALLROOM

Rattan Dome Pendant

A hand-woven dome that throws a soft woven pattern across the table, for resort restaurants and villas.

SIZE	Ø500 / 700 / 900 mm
LIGHT	E27 LED 8–12 W
COLOUR	2700 K · CRI ≥ 90
DIMMING	TRIAC / DALI-2
USE	Indoor and covered outdoor (IP44 lamp holder)



KL-TR610 OUTDOOR

Teak Floor Lantern

Solid teak, a bronze cap and tempered glass, for pool decks, terraces and villa entrances.

SIZE	300 × 300 × H 600 / 900 mm
LIGHT	Integrated LED 5 W, mains or rechargeable
COLOUR	2200 K / 2700 K
RATING	IP65
MATERIALS	Solid teak, tempered glass, bronze-finish aluminium



KL-TR620 OUTDOOR

Hooded Path Bollard

A slim bronze bollard with a hooded head: glare-free light on paths with no upward spill.

SIZE	Ø80 × H 600 / 900 mm
LIGHT	Integrated LED 6 W
COLOUR	2700 K / 3000 K · CRI ≥ 80
RATING	IP65 · IK08
FINISH	Marine-grade powder coat, dark bronze

04 · ARCHITECTURAL ESSENTIALS · GUESTROOM

The light *you don't notice*

Style-neutral luminaires that complete every series: comfortable, glare-free and quiet, so the decorative pieces can lead.

CODE	PRODUCT	TYPICAL SPECIFICATION
KL-AR710	Anti-glare downlight	Ø75 cut-out · 7 W · deep-recessed, UGR < 16 · 36° · 2700/3000 K · CRI ≥ 90 · DALI-2 / TRIAC
KL-AR720	LED cove profile	Aluminium profile with opal diffuser · 8–12 W/m · 2700 K · CRI ≥ 90 · dot-free · 24 V constant voltage
KL-AR730	Under-bed night light	Amber 2200 K LED strip with presence sensor · < 5 lx path light · auto-off timer · fits SUTA bed bases
KL-AR740	Wardrobe sensor bar	Rechargeable or 12 V LED bar · door / PIR sensor · 3000 K · lengths to joinery

Made for SUTA beds. The KL-AR730 night light is sized for SUTA by KEYVELLE hotel bed bases and headboards, and joins the room's Night scene.





05 · ARCHITECTURAL ESSENTIALS · BATHROOM & WET AREAS

Flattering light, *safely sealed*

Light on the face, not from above; warm 3000 K with high colour rendering for make-up and shaving; IP ratings matched to each bathroom zone.

CODE	PRODUCT	TYPICAL SPECIFICATION
KL-AR750	Backlit LED mirror	Halo backlight 3000 K · CRI ≥ 90 · anti-fog pad · touch or sensor switch · IP44 · size to vanity
KL-AR760	Shower downlight	Ø68 cut-out · 6 W · sealed glass front · IP65 · 3000 K · zone 1 rated
KL-AR770	Niche & vanity strip	Silicone-sealed LED strip · IP67 · 2700/3000 K · for shower niches and under-vanity glow
KL-AR780	Pool & underwater light	Stainless steel 316 · IP68 · 12/24 V · 2700 K or RGBW scenes

ZONE	MINIMUM RATING
INSIDE SHOWER / BATH	IP65 – IP67, low voltage where required
AROUND SHOWER / VANITY	IP44
OUTDOOR & POOL	IP65 above ground · IP68 underwater

Pair with ORLA KL-OR210 or NOVA KL-NV510 (IP44) for decorative vanity light. Bathroom fittings by DIDADI by KEYVELLE.

06 · CONTROLS & INTEGRATION

Dimming that *matches the hotel*

Every KEYVELLE luminaire is specified with a driver matched to the project's control system, tested for smooth, flicker-free dimming down to low levels.

PROTOCOL	TYPICAL USE
DALI-2	Individual addressing and scenes; preferred for lobbies, F&B and ballrooms
0-10 V / 1-10 V	Simple analogue dimming for linear and architectural fittings
TRIAC / PHASE-CUT	Retrofit-friendly dimming for decorative lamps and sconces
DMX	Dynamic scenes for crystal installations and event spaces, on request
KNX / BMS	Integration through gateways with the building management system
KEYVELLE SMART CONTROL	2.4G RF wireless room panels, voice and key-card scenes, without rewiring



ROOM SCENE	TYPICAL SETTING
WELCOME	Key card in: cove, sconces and lamps on at 80%, curtains open
READ	Bedside reader at full, others dimmed to 30%
RELAX	Cove and lamps at 40%, downlights off
NIGHT	All off; amber under-bed light on presence
ALL OFF	One key at the door switches the room down

Scenes and levels are set per room type at commissioning. See the KEYVELLE Hotel Smart Room Solution Manual.



07 · FINISHES & MATERIALS

A shared *material palette*

Finishes are shared across series so that a hotel can combine, for example, a NOVA guestroom with an ÉTOILE lobby and keep one consistent metal tone throughout.

FINISH / MATERIAL	LEAD SERIES
Antique brass	MAISON
Satin brass	ORLA · NOVA
Dark bronze	NOVA · TERRA · LAN
Polished nickel	ÉTOILE
Matte ink	NOVA
Hand-blown opal glass	NOVA
Fluted reeded glass	ORLA
Faceted crystal	ÉTOILE
Pleated silk	MAISON · LAN
Natural linen	All series
Natural rattan	TERRA
Hand lacquer	LAN

Physical finish samples are supplied for approval. Custom colours and hotel-brand finishes on request.

08 · TECHNICAL STANDARDS

Specified like a luminaire, *finished like furniture*

Typical KEYVELLE lighting specifications for hotel projects. Each product is confirmed against the project's brand standard, destination market and control system before production.

LIGHT SOURCE	Integrated LED or replaceable E27 / E14 / G9 LED lamps
COLOUR TEMPERATURE	2700 K standard · 2200 K / 3000 K / tunable white options
COLOUR	CRI ≥ 90 indoor (R9 > 50 on request) · CRI ≥ 80 outdoor
COLOUR CONSISTENCY	SDCM ≤ 3 within one project
GLARE	UGR < 19 for downlights and linear fittings
FLICKER	Low-flicker drivers suitable for dimming and camera use

LIFETIME	LED modules rated L70 ≥ 50,000 h (typical)
VOLTAGE	220–240 V / 100–120 V per destination market
IP RATING	IP20 dry · IP44 bathroom · IP65 outdoor · IP68 underwater
CERTIFICATION	CE, UL, ETL, SAA and other market approvals available on request per project
DOCUMENTATION	Shop drawings, IES / LDT photometric files, installation and maintenance manuals
SPARE PARTS	Drivers, lamps, shades and glass elements held per project for maintenance







09 · PROJECT SERVICES

From concept *to the lit room*

KEYVELLE delivers lighting together with the rest of the room's FF&E, so beds, headboards, furniture and light fittings are designed, sampled and delivered as one package.

01

Concept

Style direction, series selection and lighting layers per zone

02

Lighting design

Fixture schedule, layouts, photometric checks and control intent

03

Prototype & mock-up

Samples and a lit mock-up room for approval before production

04

Production & delivery

Consistent finish and colour across every floor, packed per room

05

Installation support

Installation guides, on-site supervision of large pieces and commissioning

BESPOKE & OEM	Custom sizes, finishes and designs to the interior designer's drawings; hotel-brand and private-label pieces
ONE FF&E PARTNER	Lighting coordinated with SUTA beds, SIHI seating and DIDADI bathroom fittings
LOCAL SUPPORT	KEYVELLE team, Ho Chi Minh City: project coordination and delivery for Vietnam



10 · PRODUCT INDEX

Index

CODE	PRODUCT	SERIES	FUNCTION
KL-NV110	Bedside Reading Arm	NOVA	Guestroom
KL-NV410	Linear Pendant	NOVA	F&B & ballroom
KL-NV510	Opal Globe Sconce	NOVA	Corridor & lift lobby
KL-MS120	Twin-Arm Wall Sconce	MAISON	Guestroom
KL-MS130	Marble Column Table Lamp	MAISON	Guestroom
KL-MS520	Bevelled Lantern Pendant	MAISON	Corridor & lift lobby
KL-OR210	Fluted Vanity Sconce	ORLA	Bathroom
KL-OR420	Tiered Fan Chandelier	ORLA	F&B & ballroom
KL-OR140	Stepped Floor Lamp	ORLA	Guestroom
KL-LN310	Silk Drum Lantern	LAN	Lobby & public
KL-LN150	Lacquer Table Lamp	LAN	Guestroom
KL-LN530	Bamboo Screen Wall Light	LAN	Corridor & lift lobby
KL-ET320	Glass Droplet Installation	ÉTOILE	Lobby & public
KL-ET430	Ballroom Crystal Chandelier	ÉTOILE	F&B & ballroom
KL-ET160	Crystal Cascade Sconce	ÉTOILE	Guestroom
KL-TR440	Rattan Dome Pendant	TERRA	F&B & ballroom
KL-TR610	Teak Floor Lantern	TERRA	Outdoor
KL-TR620	Hooded Path Bollard	TERRA	Outdoor
KL-AR710	Anti-glare downlight	Essentials	Guestroom
KL-AR720	LED cove profile	Essentials	Guestroom
KL-AR730	Under-bed night light	Essentials	Guestroom
KL-AR740	Wardrobe sensor bar	Essentials	Guestroom
KL-AR750	Backlit LED mirror	Essentials	Bathroom
KL-AR760	Shower downlight	Essentials	Bathroom
KL-AR770	Niche & vanity strip	Essentials	Bathroom
KL-AR780	Pool & underwater light	Essentials	Outdoor

KEYVELLE

CONTACT

Light your *next hotel*

Send your interior concept, room types and drawings. We reply with a series proposal, a fixture schedule per zone and a sample and mock-up plan.

Contact: Mr Sam

Email: Sam@keyvelle.com | inquiry@keyvelle.com

Tel: +86 15 118 111 588 | +84 901826158

WhatsApp: +84 901826158

Web: www.keyvelle.com

Specifications, finishes and compliance testing are confirmed per project.

